CREATIA.

## Weekly Report

| | |
|---|---|
| **Week:** | Week 31 2024 |
| **Week Starting:** | 5th August 2024 |
| **Week Ending:** | 11th August 2024 |
| **Single Attacks Started:** | 2 |
| **Carpet Attacks Started:** | 0 |

## Overview

| | |
|---|---|
| **Cumulative Size over Period:** | 4.924 Gigabytes |
| | 94.666 Million Packets |
| **Highest Attack Peak over Period:** | 1.311 Gigabit / Sec |
| | 0.884 Million Packets / Sec |

## UNDERSTANDING THIS REPORT


The metrics collected in this report are collected when our mitigation and monitoring systems detect an attack. We collect metrics using standard sampled flow methodology, and as such metrics are representative of data collected during sampling, which means that the information present in this report is best effort and you cannot expect a 1:1 overview for every packet that transits through our network.

Metrics shown in this report correlate to the traffic that transits through our mitigation appliances, and as such legitimate traffic will be mixed in with the illegitimate traffic.

This report contains the most significant information collected during our attack monitoring. As such, only the top five values for each section will be shown as anything outside of this has minimal significance. A further ten values are also named to give an understanding.

## SCRUBBING SITE BREAKDOWN


The locations that the monitored traffic was scrubbed at.




*The other sites which have individually had less traffic than the top 5 consist of: Dallas, Ashburn, Seattle, Amsterdam, Atlanta, London, Tokyo, Madrid, Warsaw, Paris + 6 others

## AS BREAKDOWN


The ASN's that monitored traffic appears to have originated from.




*The other AS which have individually had less traffic than the top 5 consist of: AS20115, AS577, AS33363, AS10796, AS5650, AS11351, AS3320, AS209, AS6128, AS812 + 240 others


## PROTOCOL BREAKDOWN

The protocol composition of the monitored traffic.




## DESTINATION ADDRESS BREAKDOWN

The destination addresses that monitored traffic was destined for.




## DESTINATION PORT BREAKDOWN

The destination ports that the monitored traffic was intended for.



## ANALYSIS BY APPLIANCE REGION

### Helsinki

| | |
|---|---|
| CUMULATIVE SIZE: | 0.00775 Gigabytes |
| | 0.196 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS16086 |
| SOURCE COUNTRY | Finland |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 62.44.214.125, 87.95.180.149 |
| SOURCE PORT | 17239, 52615 |
| DESTINATION PORT | 25565 |

### Milan

| | |
|---|---|
| CUMULATIVE SIZE: | 0.025125 Gigabytes |
| | 0.491 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS12709, AS8452, AS36903, AS35612 |
| SOURCE COUNTRY | Malta, Egypt, Morocco, Italy |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 141.8.25.167, 197.54.190.160, 105.157.189.89, 5.157.103.78 |
| SOURCE PORT | 61809, 56196, 20643, 61504 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY APPLIANCE REGION (CONTINUED)

### Singapore

| | |
|---|---|
| CUMULATIVE SIZE: | 0.190125 Gigabytes<br>1.277 Million Packets |
| PEAK SIZE: | 1.123 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS204170, AS9299, AS7713, AS17639, AS8781, AS136093, AS9829, AS133481, AS55836, AS7552 |
| SOURCE COUNTRY | Oman, Philippines, Indonesia, Qatar, India, Thailand, Viet Nam |
| PROTOCOL | TCP, UDP |
| SOURCE ADDRESS | 96.9.149.102, 112.210.227.14, 180.252.194.246, 136.158.33.21, 37.208.134.223, 103.111.102.245, 120.60.93.200, 184.22.8.100, 49.47.0.238, 136.158.0.155 + 3 others |
| SOURCE PORT | 65174, 17072, 61975, 35312, 41259, 55875, 57646, 62390, 65346, 13836 + 3 others |
| DESTINATION PORT | 25565, 80 |

### Tokyo

| | |
|---|---|
| CUMULATIVE SIZE: | 0.110375 Gigabytes<br>2.555 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS17858, AS2516, AS17506, AS9770, AS131950, AS17676, AS2519, AS4766, AS38841, AS4713 + 1 others |
| SOURCE COUNTRY | Korea, Japan, Taiwan |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 125.177.110.183, 106.155.12.68, 36.8.52.236, 221.248.46.81, 180.189.85.10, 202.226.27.253, 126.159.70.57, 133.32.233.237, 221.155.38.148, 180.176.77.125 + 7 others |
| SOURCE PORT | 53046, 52341, 51372, 57604, 50209, 31695, 49352, 3652, 56579, 54046 + 7 others |
| DESTINATION PORT | 25565 |

## ANALYSIS BY APPLIANCE REGION (CONTINUED)

### Phoenix

| | |
|---|---|
| CUMULATIVE SIZE: | 0.006625 Gigabytes<br>0.098 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS209 |
| SOURCE COUNTRY | United States |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 174.26.158.30 |
| SOURCE PORT | 63841 |
| DESTINATION PORT | 25565 |

### Paris

| | |
|---|---|
| CUMULATIVE SIZE: | 0.058375 Gigabytes<br>1.376 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS37705, AS15557, AS51207, AS37492, AS12322, AS3215, AS36947 |
| SOURCE COUNTRY | Tunisia, France, Algeria |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 102.156.71.212, 37.66.27.122, 37.165.154.39, 197.26.238.107, 84.97.186.84, 92.89.36.36, 81.185.168.28, 91.175.71.212, 90.76.153.119, 105.100.156.99 + 1 others |
| SOURCE PORT | 57697, 46700, 64630, 62753, 59848, 53753, 56288, 9408, 54107, 52429 + 1 others |
| DESTINATION PORT | 25565 |

## ANALYSIS BY APPLIANCE REGION (CONTINUED)

### Sofia

| | |
|---|---|
| CUMULATIVE SIZE: | 0.020625 Gigabytes<br>0.393 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS3329, AS25472 |
| SOURCE COUNTRY | Greece |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 46.177.42.70, 46.190.55.86 |
| SOURCE PORT | 55052, 65086 |
| DESTINATION PORT | 25565 |

### Los Angeles

| | |
|---|---|
| CUMULATIVE SIZE: | 0.724125 Gigabytes<br>12.68 Million Packets |
| PEAK SIZE: | 1.123 Gigabit / Sec<br>0.393 Million Packets / Sec |
| SOURCE AS | AS13999, AS33363, AS7922, AS22773, AS7018, AS8151, AS19045, AS20001, AS6167, AS9009 + 12 others |
| SOURCE COUNTRY | Mexico, United States, India |
| PROTOCOL | TCP, UDP |
| SOURCE ADDRESS | 187.246.232.211, 75.113.139.98, 67.188.121.7, 72.197.36.196, 67.188.57.85, 70.142.213.83, 76.158.207.174, 187.250.232.72, 70.173.119.15, 208.54.229.26 + 95 others |
| SOURCE PORT | 51798, 54757, 50804, 52700, 63480, 59857, 65185, 34862, 57494, 56856 + 94 others |
| DESTINATION PORT | 25565, 80 |

## ANALYSIS BY APPLIANCE REGION (CONTINUED)

### Dallas

| | |
|---|---|
| CUMULATIVE SIZE: | 0.335 Gigabytes<br>7.175 Million Packets |
| PEAK SIZE: | 0.084 Gigabit / Sec<br>0.196 Million Packets / Sec |
| SOURCE AS | AS28509, AS11427, AS18435, AS15108, AS19901, AS17267, AS8151, AS7018, AS22773, AS19108 + 22 others |
| SOURCE COUNTRY | Mexico, United States |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 189.202.61.76, 70.114.87.167, 96.46.84.156, 138.74.173.176, 97.114.173.160, 38.65.80.235, 189.250.146.59, 162.237.233.21, 99.6.209.144, 72.128.44.83 + 51 others |
| SOURCE PORT | 16101, 55795, 64915, 65108, 57516, 56521, 62505, 52384, 64778, 53720 + 52 others |
| DESTINATION PORT | 25565 |

### Ashburn

| | |
|---|---|
| CUMULATIVE SIZE: | 0.327625 Gigabytes<br>7.077 Million Packets |
| PEAK SIZE: | 0.101 Gigabit / Sec<br>0.294 Million Packets / Sec |
| SOURCE AS | AS4181, AS812, AS7922, AS701, AS63131, AS32133, AS11426, AS20115, AS54614, AS6079 + 6 others |
| SOURCE COUNTRY | United States, Canada |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 64.35.198.198, 99.237.109.204, 99.228.191.19, 73.64.5.155, 173.53.108.209, 38.20.170.5, 99.245.150.116, 64.99.223.180, 174.110.251.171, 24.151.27.29 + 48 others |
| SOURCE PORT | 52691, 49950, 55263, 57504, 50480, 54935, 62810, 63109, 52684, 56165 + 47 others |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE ASN

### AS10242

| | |
|---|---|
| CUMULATIVE SIZE: | 0.009125 Gigabytes |
| | 0.196 Million Packets |
| PEAK SIZE: | 0.036 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Chicago |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 207.153.39.104 |
| SOURCE PORT | 54821 |
| DESTINATION PORT | 25565 |

### AS10279

| | |
|---|---|
| CUMULATIVE SIZE: | 0.0045 Gigabytes |
| | 0.098 Million Packets |
| PEAK SIZE: | 0.036 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Atlanta |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 164.153.56.247 |
| SOURCE PORT | 7992 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE ASN (CONTINUED)

### AS10620

| | |
|---|---|
| CUMULATIVE SIZE: | 0.0045 Gigabytes<br>0.098 Million Packets |
| PEAK SIZE: | 0.036 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE COUNTRY | Colombia |
| MITIGATION SITES | Miami |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 186.84.88.150 |
| SOURCE PORT | 7302 |
| DESTINATION PORT | 25565 |

### AS10796

| | |
|---|---|
| CUMULATIVE SIZE: | 0.081125 Gigabytes<br>1.769 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Chicago, Ashburn |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 71.67.107.138, 24.208.53.104, 74.138.131.19, 65.31.102.189, 74.137.213.42, 76.188.157.27, 76.35.152.111, 74.133.120.0, 75.86.155.18, 72.128.83.7 + 5 others |
| SOURCE PORT | 49688, 62040, 62624, 62633, 63066, 61775, 54353, 58381, 57131, 53902 + 5 others |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE ASN (CONTINUED)

### AS11191

| | |
|---|---|
| CUMULATIVE SIZE: | 0.00775 Gigabytes |
| | 0.196 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Los Angeles |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 216.57.69.113 |
| SOURCE PORT | 54993 |
| DESTINATION PORT | 25565 |

### AS11272

| | |
|---|---|
| CUMULATIVE SIZE: | 0.0175 Gigabytes |
| | 0.393 Million Packets |
| PEAK SIZE: | 0.04 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Chicago |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 173.235.252.233, 136.239.80.29, 67.20.0.250, 173.235.211.67 |
| SOURCE PORT | 51673, 54357, 51320, 52759 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE ASN (CONTINUED)

### AS11351

| | |
|---|---|
| CUMULATIVE SIZE: | 0.059125 Gigabytes<br>1.376 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | New York, Chicago |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 67.246.38.192, 104.229.96.9, 67.248.235.158, 67.246.44.109, 24.25.131.53, 172.100.247.119, 24.194.17.49, 76.38.166.138, 24.198.144.178 |
| SOURCE PORT | 51280, 55588, 54277, 57310, 55867, 49461, 64643, 49010, 55597, 59586 |
| DESTINATION PORT | 25565 |

### AS1136

| | |
|---|---|
| CUMULATIVE SIZE: | 0.003875 Gigabytes<br>0.098 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE COUNTRY | Netherlands |
| MITIGATION SITES | Amsterdam |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 37.74.111.129 |
| SOURCE PORT | 53849 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE ASN (CONTINUED)

### AS11404

| | |
|---|---|
| CUMULATIVE SIZE: | 0.00775 Gigabytes |
| | 0.196 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Seattle, Los Angeles |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 24.113.82.25, 76.14.111.52 |
| SOURCE PORT | 61640, 49956 |
| DESTINATION PORT | 25565 |

### AS11426

| | |
|---|---|
| CUMULATIVE SIZE: | 0.0475 Gigabytes |
| | 0.983 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE COUNTRY | United States |
| MITIGATION SITES | Ashburn |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 174.110.251.171, 75.177.208.76, 75.183.242.202, 107.15.171.15, 107.13.119.14, 65.190.4.44, 98.121.125.216, 71.74.24.242 |
| SOURCE PORT | 52684, 50132, 57793, 49536, 56488, 52491, 43786, 55497 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE COUNTRY

### Armenia

| | |
|---|---|
| CUMULATIVE SIZE: | 0.007375 Gigabytes |
| | 0.098 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS49800 |
| MITIGATION SITES | Amsterdam |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 78.109.72.216 |
| SOURCE PORT | 54616 |
| DESTINATION PORT | 25565 |

### Argentina

| | |
|---|---|
| CUMULATIVE SIZE: | 0.015875 Gigabytes |
| | 0.294 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS7303, AS27833, AS27747 |
| MITIGATION SITES | Miami |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 190.17.102.174, 181.197.240.183, 186.22.17.71 |
| SOURCE PORT | 53981, 59547, 23131 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE COUNTRY (CONTINUED)

### Austria

| | |
|---|---|
| CUMULATIVE SIZE: | 0.01175 Gigabytes |
| | 0.294 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS25255, AS51265 |
| MITIGATION SITES | Frankfurt |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 178.165.165.165, 41.66.124.160 |
| SOURCE PORT | 19634, 10331 |
| DESTINATION PORT | 25565 |

### Australia

| | |
|---|---|
| CUMULATIVE SIZE: | 0.040875 Gigabytes |
| | 0.884 Million Packets |
| PEAK SIZE: | 0.053 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS4804, AS7545, AS4764, AS136135, AS133612 |
| MITIGATION SITES | Sydney |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 114.76.34.53, 60.242.194.30, 121.200.7.91, 124.149.30.197, 115.64.170.161, 103.81.54.25, 120.22.208.58, 124.148.121.190, 159.196.12.190 |
| SOURCE PORT | 49833, 50458, 26005, 49355, 62796, 58470, 1996, 52721, 59339 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE COUNTRY (CONTINUED)

### Belgium

| | |
|---|---|
| CUMULATIVE SIZE: | 0.003875 Gigabytes |
| | 0.098 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS47377 |
| MITIGATION SITES | Amsterdam |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 178.51.225.212 |
| SOURCE PORT | 14010 |
| DESTINATION PORT | 25565 |

### Switzerland

| | |
|---|---|
| CUMULATIVE SIZE: | 0.14775 Gigabytes |
| | 0.196 Million Packets |
| PEAK SIZE: | 1.123 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS3303 |
| MITIGATION SITES | Frankfurt |
| PROTOCOL | TCP, UDP |
| SOURCE ADDRESS | 62.202.180.99, 178.193.155.106 |
| SOURCE PORT | 59693, 60199 |
| DESTINATION PORT | 25565, 80 |

## ANALYSIS BY SOURCE COUNTRY (CONTINUED)

### Chile

| | |
|---|---|
| CUMULATIVE SIZE: | 0.015625 Gigabytes |
| | 0.392 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS7418, AS14117, AS396356 |
| MITIGATION SITES | Miami |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 181.163.116.230, 201.186.32.64, 186.79.90.193, 45.250.252.150 |
| SOURCE PORT | 51650, 61951, 59583, 52850 |
| DESTINATION PORT | 25565 |

### Colombia

| | |
|---|---|
| CUMULATIVE SIZE: | 0.025 Gigabytes |
| | 0.491 Million Packets |
| PEAK SIZE: | 0.059 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS14080, AS10620, AS3816, AS266860 |
| MITIGATION SITES | Miami |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 190.145.240.193, 186.84.88.150, 161.18.54.99, 45.238.181.110 |
| SOURCE PORT | 12103, 7302, 57101, 28719 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY SOURCE COUNTRY (CONTINUED)

### Cuba

| | |
|---|---|
| CUMULATIVE SIZE: | 0.0045 Gigabytes |
| | 0.098 Million Packets |
| PEAK SIZE: | 0.036 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS27725 |
| MITIGATION SITES | Miami |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 152.206.232.206 |
| SOURCE PORT | 24920 |
| DESTINATION PORT | 25565 |

### Czechia

| | |
|---|---|
| CUMULATIVE SIZE: | 0.015625 Gigabytes |
| | 0.393 Million Packets |
| PEAK SIZE: | 0.031 Gigabit / Sec |
| | 0.098 Million Packets / Sec |
| SOURCE AS | AS30764, AS16019, AS5610, AS44489 |
| MITIGATION SITES | Frankfurt |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 185.5.71.15, 93.99.12.26, 85.71.21.108, 178.255.168.207 |
| SOURCE PORT | 49480, 61677, 60750, 32838 |
| DESTINATION PORT | 25565 |

## ANALYSIS BY PROTOCOL

### UDP

| | |
|---|---|
| CUMULATIVE SIZE: | 0.5615 Gigabytes<br>0.393 Million Packets |
| PEAK SIZE: | 1.123 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS9829, AS3303, AS7029 |
| SOURCE COUNTRY | India, Switzerland, United States |
| MITIGATION SITES | Singapore, Frankfurt, Los Angeles, Atlanta |
| SOURCE ADDRESS | 120.60.93.200, 178.193.155.106, 117.205.238.43, 40.142.145.77 |
| SOURCE PORT | 57646, 60199, 51748, 38954 |
| DESTINATION PORT | 80 |

### TCP

| | |
|---|---|
| CUMULATIVE SIZE: | 4.3625 Gigabytes<br>94.273 Million Packets |
| PEAK SIZE: | 0.298 Gigabit / Sec<br>0.884 Million Packets / Sec |
| SOURCE AS | AS266860, AS33363, AS4181, AS7922, AS2516, AS7552, AS13999, AS396356, AS577, AS6400 + 244 others |
| SOURCE COUNTRY | Colombia, United States, Japan, Viet Nam, Mexico, Chile, Canada, Dominican Republic, Australia, Spain + 49 others |
| MITIGATION SITES | Miami, Ashburn, New York, Tokyo, Singapore, Los Angeles, Dallas, Sydney, Madrid, Warsaw + 11 others |
| SOURCE ADDRESS | 45.238.181.110, 142.196.45.75, 64.35.198.198, 142.197.92.36, 68.83.162.139, 14.13.68.129, 117.5.152.200, 187.246.232.211, 45.250.252.150, 142.117.188.240 + 753 others |
| SOURCE PORT | 28719, 59596, 52691, 53020, 57170, 9498, 15712, 51798, 52850, 49933 + 743 others |
| DESTINATION PORT | 25565 |

## ANALYSIS BY DESTINATION PORT

### Destination Port 80

| | |
|---|---|
| CUMULATIVE SIZE: | 0.5615 Gigabytes<br>0.393 Million Packets |
| PEAK SIZE: | 1.123 Gigabit / Sec<br>0.098 Million Packets / Sec |
| SOURCE AS | AS9829, AS3303, AS7029 |
| SOURCE COUNTRY | India, Switzerland, United States |
| MITIGATION SITES | Singapore, Frankfurt, Los Angeles, Atlanta |
| PROTOCOL | UDP |
| SOURCE ADDRESS | 120.60.93.200, 178.193.155.106, 117.205.238.43, 40.142.145.77 |
| SOURCE PORT | 57646, 60199, 51748, 38954 |

### Destination Port 25565

| | |
|---|---|
| CUMULATIVE SIZE: | 4.3625 Gigabytes<br>94.273 Million Packets |
| PEAK SIZE: | 0.298 Gigabit / Sec<br>0.884 Million Packets / Sec |
| SOURCE AS | AS266860, AS33363, AS4181, AS7922, AS2516, AS7552, AS13999, AS577, AS396356, AS6400 + 244 others |
| SOURCE COUNTRY | Colombia, United States, Japan, Viet Nam, Mexico, Canada, Chile, Dominican Republic, Australia, Spain + 49 others |
| MITIGATION SITES | Miami, Ashburn, New York, Tokyo, Singapore, Los Angeles, Dallas, Sydney, Madrid, Warsaw + 11 others |
| PROTOCOL | TCP |
| SOURCE ADDRESS | 45.238.181.110, 142.196.45.75, 64.35.198.198, 142.197.92.36, 68.83.162.139, 14.13.68.129, 117.5.152.200, 187.246.232.211, 142.117.188.240, 45.250.252.150 + 753 others |
| SOURCE PORT | 28719, 59596, 52691, 53020, 57170, 9498, 15712, 51798, 49933, 52850 + 743 others |